

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

7/25




FIG. 7

8/25

DATE: SAT MAR 21 1998 17:54:06-0800
FROM: JOE ADVISOR <jc@advisories.com>
MIME-Version 1.0
ORGANIZATION: Universe Communications, Inc.
SUBJECT: You need to upgrade Advice Reader
RELEVANT-WHEN: version of file "Advice.exe"
 <5.0
CONTENT-TYPE: text/html; charset us=ascii

<HTML> <BODY>
Click here to <A HREF = "http://advisories.com/a"
download the latest version of Advice Reader.
</BODY> </HTML>

SUBJECT LINE

82

RELEVANT CLAUSE

80

MESSAGE BODY

81

FIG. 8




FIG. 9

10/25

Expression:

(not exists File 'System' of System Folder) or
(not exists File 'MacTCP DNR' of System Folder)




FIG. 10




FIG. 11

12/25

Object —> Unary Operator —> Result-Object

Object —> Property —> Result-Object

Object —> Named Property —> Result-Object

String Selector
↗

Object 1 ↘
Object 2 ↗ Binary Operator —> Result-Object

FIG. 12





FIG. 13




FIG. 14

Inspector Library
Macintosh "Version" Inspector

```
(version, "major revision", maj-rev-meth)
(version "minor revision", min-rev-meth)
(version, "stage", stage-meth)
(version, "country", country-meth)
(version, "string 1", string 1-meth)
(version, "string 2", string 2-meth)
```

Phrase Definitions
Data type associations
Method associations

```
METHOD maj-rev-meth;
METHOD min-rev-meth;
METHOD stage-meth;
METHOD country-meth;
METHOD string 1-meth;
METHOD string 2-meth;
```

Method Definitions

FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20





FIG. 21

*FIG. 22*




FIG. 23




FIG. 24




FIG. 25